jct JOURNAL OF COATINGS TECHNOLOGY

Annual Index

Volume 56
Numbers 708–719
January thru December, 1984

Journal of Coatings Technology
1984 Annual Index

Keyword Subject Index

Prepared by Technical Information
Systems Committee

Additives

Chelating inhibitors, effect on cathodic delamination of acrylic coating from iron ..... July, 56
UV light absorbers/stabilizers for fungicides..... May, 33

Adhesives and Sealants

Polysulfide sealants, adhesion to polyurethane coatings and curing of polyurethanes ..... Sept., 99
Polysulfide sealants, exterior weathering ..... Dec., 57
Silicone sealants, exterior weathering..... Mar., 29

Application and Finishing

Electrodeposition, cathodic, from epoxy-curing agent latex..... June, 37
High solids spray coatings, flow properties and sag ..... Sept., 87
Thermosetting powder coatings, film formation and rheology..... Oct., 23

Biological Materials and Processes

Aureobasidium pullulans (mildew) cultures, fungicide tests ..... May, 57
Microbiological deterioration, anaerobic bacteria in water-based coatings..... May, 51
Microbiological degradation, UV light absorbers/ stabilizers for fungicides ..... May, 33

Chemical Materials and Processes

CO_2 laser heat source for thermal conductivity measurement..... Jan., 65
Catechol as chelating inhibitor for cathodic delamination of coating from iron ..... July, 56
Di-iron phosphide (Fe_2P) in zinc-rich primer ..... Feb., 31; July, 52
2,5 Dimercapto 1,3,4 thiadiazole (DMTDA) as chelating inhibitor for cathodic delamination of coating from iron..... July, 56
Hydroxyphenyl benzotriazole as UV light absorber/ stabilizer for fungicides..... May, 33
8-Hydroxyquinoline (8-HQ) as chelating inhibitor for cathodic delamination of coating from iron ... July, 56
3-Iodo-2-propynyl butyl carbamate as fungicide for mildew..... May, 57
4-Methyl catechol as chelating inhibitor for cathodic delamination of coating from iron ..... July, 56
2-n-Octyl-3(2H)-isothiazolone as fungicide for mildew..... May, 57
Pentachlorophenol acrylate (PCPA), purity by HPLC..... May, 89
Sodium pentachlorophenol as fungicide for mildew..... May, 57
Tetraalkyl piperidine compounds as UV light absorbers/stabilizers for fungicides ..... May, 33
2(2-Thiazolyl) benzimidazole as fungicide for mildew..... May, 57
2(Thiocyanomethylthio) benzothiazole as fungicide for mildew..... May, 57
Trimethylolpropane triacrylate (TMPTA) in water-based alkyds ..... Mar., 45

Coatings

Antifouling, rosin dissolution and bioactivity ..... Dec., 63
Automotive, exterior, color tolerance..... Feb., 35
Black chrome solar, reflectance, mathematical model ..... Apr., 29
Electrodeposited, cathodic ..... June, 37; Dec., 71
Flat exterior, two-coat, for hardboard siding ..... Apr., 19
Forensic analysis ..... Nov., 21
Fungicidal, fungicide tests on *Aureobasidium pullulans* ..... May, 57
Fungicidal, with UV light absorbers/ stabilizers..... May, 33
Magnetic, PVC and pigment oil absorption ..... May, 65
Metal substrates, cathodic delamination ..... Oct., 56
Water displacement from steel, and substrate corrosion..... Apr., 51
Wood, UV/EB curable ..... Aug., 49

Acrylate, UV laser beam curing..... June, 29
Acrylated epoxy and urethane, UV/EB curable, for wood ..... Aug., 49
Acrylic, effect of chelating inhibitors on cathodic delamination ..... July, 56
Acrylic enamels, spray out, charcoal vapor respirator cartridge test ..... May, 81
Alkyd, water-based, trimethylolpropane triacrylate modified..... Mar., 45
Alkyd, water-soluble, effect of cosolvent on film properties..... June, 69
Corrosion-resistant, di-iron phosphide— zinc-rich primer ..... Feb., 31; July, 49
Corrosion-resistant, wash primers, effect on top coat performance ..... Feb., 21
Emulsion, one-coat, white ..... Aug., 57
Enamel, thermal conductivity ..... Jan., 65
Epoxide, internal stress, dynamic mechanical properties, and network structure ..... June, 45
Epoxy-alkanolamine, chemical structure and corrosion resistance ..... July, 43

Epoxy-alkanolamine, water-based ..... Dec., 71
Epoxy-curing agent latex, electrodeposited, cathodic ..... June, 37
High solids, spray enamel, rheological model for flow properties ..... Sept., 87
Latex, gloss, rheological properties ..... Jan., 59
Latex, internal stress, solvent evaporation, and film formation ..... Sept., 111
Latex, pigmented, internal stress, effect of organic solvents ..... Nov., 69
Latex, pigmented, internal stress, effect of pigments and PVC ..... Oct., 47
Melamine formaldehyde cured acrylic, degradation and crosslinking ..... Apr., 43
Melamine-polyol cure reactions ..... Mar., 19
Polyurethane, cure kinetics and adhesion to polysulfide sealants ..... Sept., 99
Rosin, antifouling, binder dissolution and bioactivity ..... Dec., 63
Semi-gloss, rheological properties and settling ..... Feb., 41
Soya-alkyd emulsion, autooxidative crosslinking ..... Apr., 33
Thermosetting industrial, mathematical model for film properties and performance ..... Nov., 49
Thermosetting powder, film formation and rheology ..... Oct., 23
Urethane enamels, spray out, charcoal vapor respirator cartridge test ..... Mar., 81
Water-based, anaerobic bacteria ..... May, 51
Water-based, resin-emulsion/microgel blend, for metal ..... Sept., 73

Coatings—Liquid Properties and Tests

Flow, high solids spray acrylic coating, rheological models ..... Sept., 87
Rheological changes during manufacture and storage ..... Jan., 38
Rheological properties, gloss latex coating ..... Jan., 59
Rheological properties and settling, semi-gloss coatings ..... Feb., 41
Viscosity, water-based coatings, effect of anaerobic bacteria ..... May, 51
Viscosity measurements, correlation of values and methods ..... Nov., 59

Coatings Industry

Computer utilization, survey ..... Dec., 77
Forensic analysis of coatings ..... Nov., 21
Health and safety regulations for toxics ..... Mar., 51
Plant productivity, math model ..... Feb., 51
Product liability ..... Apr., 57

Color and Appearance

Changes during manufacture and storage ..... Jan., 38
Color tolerances (Hunter tristimulus), exterior automotive coatings ..... Feb., 35
Colorant formulation, computerized, printing inks for reagent strip color charts ..... Aug., 75
Reflectance, black chrome solar coatings, math model ..... Apr., 29

Computer Applications

Coating rheological properties, Brookfield viscosity—Casson eq. ..... Jan., 59
Coating rheological properties and settling, Brookfield viscosity—Casson eq. ..... Feb., 41
Coatings industry, survey ..... Dec., 77
Colorant formulation, printing inks for reagent strip color charts ..... Aug., 75
Corrosion measurement (PAR-350) for steel, CRS and HRS ..... July, 31
Melamine-polyol cure reactions, FO/GC and FT/IR ..... Mar., 19
Simplex mixture screening design, 12 components ..... June, 53

Cure and Curing

Acrylic-melamine resins, mechanism, dynamic spring analysis ..... Feb., 45
Acrylic-melamine-DOP resins, mechanism, dynamic spring analysis ..... Mar., 39
Melamine-formaldehyde cured acrylic coatings, crosslinks ..... Apr., 43
Melamine-polyol cure reactions ..... Mar., 19
Polymerization, TTT cure diagrams, vitrification time model ..... Nov., 35
Polyurethane coatings, curing and adhesion to polysulfide sealant ..... Sept., 99
UV laser beam curing/polymerization, acrylate coatings ..... June, 29
Viscosity-time curves during cure (Ferranti-Shirley cone and plate viscometer), math model for film properties ..... Nov., 49

Exposures and Weathering

Accelerated, humidity, epoxy-alkanolamine coatings ..... July, 43
Accelerated, humidity, Fe_2P-Zn primer ..... July, 49
Accelerated, salt fog, Fe_2P-Zn primer .... Feb., 31; July, 49
Accelerated, salt spray, corrosion resistance of steel, CRS + HRS ..... July, 31
Accelerated salt spray, epoxy-alkanolamine coatings ..... July, 43
Accelerated, water-based coatings (resin-emulsion/microgel blend) ..... Sept., 73
Outdoor, coated wood, effect of UV light absorbers/stabilizers on fungicide activity ..... May, 33
Outdoor, flat exterior coatings on hardboard siding ..... Apr., 19
Outdoor, strain-cycling racks, polysulfide sealant ..... Dec., 57
Outdoor, strain-cycling racks, silicone sealant ..... Mar., 29
Outdoor, water-based coatings (resin-emulsion/microgel blend) ..... Sept., 73
Sea water, immersion (tug boat hull), rosin-based antifouling coating ..... Dec., 63
Sea water, raft tests, rosin-based antifouling coating ..... Dec., 63

Film Degradation/Deterioration and Tests

Blistering and underrusting of one- and two-coat systems ..... Feb., 21
Cathodic delamination, acrylic coating from iron, chelating inhibitors ..... July, 56
Cathodic delamination, organic coating from metal ..... Oct., 56
Crosslinking and degradation, in dark and in sunlight, melamine-formaldehyde cured acrylic coating ..... Apr., 43
Water displacement test, relation to corrosion resistance of coating ..... Apr., 51

Film Formation

Latex coatings, internal stress and solvent evaporation ..... Sept., 111
Pigmented latex coatings, internal stress, effect of pigments and PVC ..... Oct., 47

Pigmented latex coatings, internal stress and solvent evaporation ..... Nov., 69
Thermosetting powder coatings, rheology ..... Oct., 23

Film Properties (Dry Film) and Tests

Conductivity, Fe_2P-Zn primer ..... July, 49
Dry time retention and pH stability, water-soluble alkyds ..... June, 69
Dynamic mechanical properties and internal stress, epoxide resins ..... June, 45
Dynamic viscoelasticity, free torsional oscillation method ..... Jan., 47
Hardness, pendulum, Walker Steele tester ..... Jan., 47
Soya-alkyd coatings, autooxidatively crosslinked, film properties ..... Apr., 33
Thermal conductivity, enamel coatings ..... Jan., 65

Formulation

Alkyds, water-based, trimethylol propane triacrylate modified ..... Mar., 45
Epoxy-alkanolamine coatings, structure and corrosion resistance ..... July, 43
Epoxy-alkanolamine water-based coatings ..... Dec., 71
High solids millbase for high speed dispersion .... Sept., 105
Melamine-polyol coatings ..... Mar., 19
One-coat white emulsion coating ..... Aug., 57
Simplex mixture screening design, 12 components ..... June, 53
Thermosetting powder coatings ..... Oct., 23
Water-based coatings, resin-emulsion/microgel blends ..... Sept., 73
Wood finishes, UV/EB curable acrylated epoxy and urethane coatings ..... Aug., 49

Government Regulations

Health and safety regulations for toxics ..... Mar., 51

Graphic Arts/Printing Inks

Inks for reagent strip color charts, computerized color formulation ..... Aug., 75

Health and Safety

Charcoal vapor respirator cartridges, performance with spray coatings ..... May, 81

Instrumental Analysis and Methods

Attenuated total reflectance spectroscopy (ATR), polyurethane cure ..... Sept., 99
Brabender plasticorder, oil absorption of pigments ..... May, 65
Brookfield viscometer, computerized, coating rheology and settling ..... Feb., 41; Jan., 59
Computerized corrosion measurement system (PAR-350), steel, CRS + HRS ..... July, 31
Differential scanning calorimetry (DSC), silicone sealants ..... Mar., 29
Diffuse reflectance infrared spectra, melamine-formaldehyde cured acrylic ..... Apr., 43
Dynamic mechanical analysis (DMA), polyurethane cure ..... Sept., 99
Dynamic spring analysis (DSA), acrylic-melamine cure ..... Feb., 45
Dynamic spring analysis, acrylic-melamine-DOP cure ..... Mar., 39
Electron capture gas chromatography (ECGC), fungicide UV stabilizers ..... May, 33
Ellipsometry, chelating inhibitors in cathodic delamination study ..... July, 56
Ferranti-Shirley cone and plate viscometer, automated, viscosity-time curves during cure .... Nov., 49
Flow oven/gas chromatography, computerized, melamine-polyol cure ..... Mar., 19
Forensic analysis of coatings ..... Nov., 21
Fourier transform/infrared spectrometer, computerized, melamine-polyol cure ..... Mar., 19
Gas chromatography, top coat blistering ..... Feb., 21
High performance liquid chromatography (HPLC), pentachlorophenol acrylate (PCPA) purity ..... May, 89
High performance liquid chromatography (HPLC), solvent in sprayed high solids coating ..... Sept., 87
Infrared spectroscopy, top coat blistering ..... Feb., 21
Infrared spectroscopy, UV laser beam cure of acrylate coatings ..... June, 29
Instron tensile tester, polysulfide sealants ..... Dec., 57
Light microscopy, fungicide tests on *Aureobasidium pullulans* ..... May, 57
Mercury porosimeter, particle density of pigments ..... May, 65
Pendulum hardness tester, Walker Steele ..... Jan., 47
Pulsed nuclear magnetic resonance, linseed oil in wood ..... Aug., 67
Scanning electron microscopy, fungicide tests on *Aureobasidium pullulans* ..... May, 57
Setaflash Tester, flash point ..... Oct., 37
Solid state ^{13}C nuclear magnetic resonance spectra, melamine-formaldehyde cured acrylic coatings, cure ..... Apr., 43
Solid state ^{13}C nuclear magnetic resonance spectra, melamine-polyol cure ..... Mar., 19
Thin layer chromatography (TLC), fungicide UV stabilizers ..... May, 33
Transmission electron microscopy, fungicide tests on *Aureobasidium pullulans* ..... May, 57
Viscosity measuring instruments, correlation of values and methods ..... Nov., 59

Interfacial Phenomena

Pigment-vehicle and pigment-pigment interactions during manufacture and storage ..... Jan., 38
Water vapor permeability, multi-coat system ..... Feb., 21

Laws and Legal Matters

Product liability ..... Apr., 57

Manufacturing Operations and Plant

High solids millbase for high speed dispersion .... Sept., 105
Pigment-pigment and pigment-vehicle interactions in millbase ..... Jan., 38

Mathematical Models

Coating properties from viscosity-time curve during cure ..... Nov., 49
PVC and oil absorption of pigments ..... May, 65
Reflectance, black chrome solar coatings ..... Apr., 29
Rheological models, flow properties and sag of high solids spray coatings ..... Sept., 87
Simplex mixture screening design, 12 components ..... June, 53
Vitrification time for polymerization, and TTT cure diagram ..... Nov., 35

Oils

Linseed, content of trembling aspen wood, by pulsed NMR ..... Aug., 67

Soya, autooxidative crosslinking with alkyds ..... Apr., 33

Pigments and Extenders

Di-iron phosphide (Fe_2P) in zinc-rich primer, corrosion resistance ..... Feb., 31; July, 49
Effect of pigments and extenders on one-coat emulsion paint properties ..... Aug., 57
Effect of pigments and PVC on internal stress of pigmented latex coatings ..... Oct., 47
Magnetic and non-magnetic, PVC and oil absorption ..... May, 65
"Pigment incorporation time," high solids millbase for high speed dispersion ..... Sept., 105
Pigment-vehicle and pigment-pigment interactions during coating manufacture and storage ..... Jan., 38
Suspension settling and rheological properties, gloss latex coatings ..... Jan., 59
Suspension settling and rheological properties, semi-gloss latex coatings ..... Feb., 41

Polymers and Resins

Acrylic-melamine, curing ..... Feb., 45
Acrylic-melamine-DOP, curing ..... Mar., 39
Epoxide, internal stress, dynamic mechanical properties and network structure ..... June, 45
Polymerization, TTT cure diagram and vitrification time math model ..... Nov., 35
Polysulfide sealants, exterior weathering ..... Dec., 57
Silicone sealants, exterior weathering ..... Mar., 29
Water soluble resin-emulsion/microgel blends, for coatings ..... Sept., 73

Solvents and Plasticizers

Chlorinated hydrocarbons and hydrocarbon admixtures, flash point ..... Oct., 37
Cosolvents, effect on water-based epoxy alkanolamine coating properties ..... Dec., 71
Dioctyl phthalate, effect on acrylic-melamine cure ..... Mar., 39
Flash point and flammability, Setaflash, chlorinated hydrocarbons and hydrocarbon admixtures ..... Oct., 37
Glycol ether cosolvents, effect on water-soluble alkyd coating properties ..... June, 72
Plasticizers, effect on rosin anti-fouling coating properties ..... Dec., 63
Solvent evaporation and internal stress, pigmented latex coatings ..... Nov., 69
Solvent evaporation, internal stress and film formation, latex coatings ..... Sept., 111

Statistical Methods

Discriminant statistical analysis, color tolerance ... Feb., 35
Regression analysis (BMPD), corrosion resistance of steel ..... July, 31

Substrates or Surfaces to Be Coated

Hardboard siding, flat exterior coatings performance ..... Apr., 19
Iron, cathodic delamination of organic coatings ..... July, 56
Metal substrates, cathodic delamination of organic coatings ..... Oct., 56
Steel, anodic polarization test for corrosion resistance ..... July, 31
Steel, water displacement and coating corrosion resistance ..... Apr., 51
Wood, flooring and filled particle board, UV/EB curable acrylated coatings ..... Aug., 49
Wood, trembling aspen, linseed oil content by pulsed NMR ..... Aug., 67

Alphabetical Listing of Papers

A

Anticorrosive Function of Primers. Influence on Protection by Subsequent Coatings—H. Haagen, Feb., p. 21.
Application of Infrared Spectroscopy in Curing Kinetics of Polyurethane Coatings—A.M. Usmani, Sept., p. 99.
An Attempt to Develop a One Coat Emulsion Paint—L.A. Simpson, Aug., p. 57.
Autooxidative Crosslinking of Vegetable Oils and Alkyd Emulsions—J.W. Gooch, G.C. Wildman, and B.G. Bufkin, Apr., p. 33.

C

Characterization of the Variability in Corrosion Resistance of Steel Using Electrochemical Techniques—R.G. Groseclose, C.M. Frey, and F.L. Floyd, July, p. 31.
Comparison of Acrylated Oligomers in Wood Finishes—W.J. Morris, Aug., p. 49.
Computer Formulation of Colors for Letterpress—M.A. Genshaw, B.F. Phillips, and K.A. Ruggiero, Aug., p. 75.

D

Degradation Chemistry of Primary Crosslinks in High Solids Enamel Finishes: Solar Assisted Hydrolysis—A.D. English and J.J. Spinelli, Apr., p. 43.
Determination of Pentachlorophenol Acrylate Purity by High Performance Liquid Chromatography—D.A. Frick, May, p. 89.
Displacement of Water from a Steel Surface—C.R. Hegedus, Apr., p. 51.

E

Effect of Organic Solvents on Internal Stress in Latex Coatings—D.Y. Perera and D. Vanden Eynde, Nov., p. 69.
Effect of Pigmentation on Internal Stress in Latex Coatings—D.Y. Perera and D. Vanden Eynde, Oct., p. 47.
Effect of Zinc Oxidation on the Conductivity and Performance of Di-Iron Phosphide Augmented Zinc-Rich Primers—N.C. Fawcett, C.E. Stearns, and B.G. Bufkin, July, p. 49.
Ellipsometric Studies of Chelating Inhibitor Effects on the Cathodic Delamination of an Organic Coating on Iron—J.J. Ritter, July, p. 55.
Environmental Control or Coatings Composition as a Means for Reducing Cathodic Delamination of Organic Coatings—H. Leidheiser, Jr., W. Wang, R.D. Granata, H. Vedage, and M.L. White, Oct., p. 55.

F

Film Formation and Rheology of Powder Coatings—P.G. de Lange, Oct., p. 23.

Flammability of Chlorinated Hydrocarbons and Hydrocarbon Admixtures—H.A. Wray, Oct., p. 37.
Forensic Analysis of Coatings—H.K. Raaschou Nielsen, Nov., p. 21.

H

High Performance Coatings from Blends of Emulsions and Water-Soluble Resins—Y. Nakayama, T. Watanabe, and I. Toyomoto, Sept., p. 73.
High Solids Millbase Design for High Speed Dispersion—L. Cutrone, Sept., p. 105.
How Productive Is Your Paint Plant? A Measure of Productivity for the Paint Industry—R. Kennedy, Feb., p. 57.

I

Influence of Binder Dissolution Rate on the Bioactivity of Anti-fouling Paints—B. del Amo, C.A. Giudice, and V.J.D. Rascio, Dec., p. 63.
Influence of Co-Solvents on the Film Properties of Water-Soluble Alkyds—Toronto Society for Coatings Technology, June, p. 69.
Internal Stress in Latex Coatings—D.Y. Perera, Sept., p. 111.
Internal Stress of Cured Epoxide Resin Coatings Having Different Network Chains—M. Shimbo, M. Ochi, and K. Arai, June, p. 45.
Investigation of Factors Influencing Outdoor Performance of Two-Part Polysulfide Sealants—K.K. Karpati, Dec., p. 57.

K

Kinetics and Mechanism of Film Growth for the Cathodic Electrodeposition Process from Epoxy Resin-Curing Agent Latexes—M.S. El-Aasser, J.W. Vanderhoff, C.C. Ho, A. Humayun, and M.F. Abdel-Bary, June, p. 37.

M

Measurement of Thermal Conductivity of Enamel Paint Using a CO_2 Laser—Z. Kachwalla, K.V. Barratt, and H.J. Goldsmid, Jan., p. 65.
Mildewcide Testing and Ultrastructural Analysis with *Aureobasidium pullulans*—R.E. Crang and S.G. Robinson, May, p. 57.
Multifunctional Monomers in Water-Reducible Alkyds—E.J. Kuzma and E. Levine, Mar., p. 45.

N

Numerical Color Control for Exterior Automotive Coatings—S.A. Schultz, M.K. Chao, and B.P. Hake, Feb., p. 35.

O

The Obstacle Course from Mill Base to Finished Coating—F.K. Daniel, Jan., p. 38.

P

Performance Comparison of Exterior Flat Finishes on Hardboard Siding—Kansas City Society for Coatings Technology, Apr., p. 19.
Physical Significance of the Pendulum Hardness of Coating Films—K. Sato, Jan., p. 47.
Pigment Volume Concentration and an Interpretation of the Oil Absorption of Pigments—H.F. Huisman, May, p. 65.
Presence and Effects of Anaerobic Bacteria in Water-Based Paint I.—R.A. Oppermann and M. Goll, May, p. 51.
Protection of Mildewcides and Fungicides from Ultraviolet Light Induced Photo-oxidation—P.D. Gabriele and R.M. Iannucci, May, p. 33.
Pulsed Nuclear Magnetic Resonance Measurement of the Relative and Absolute Linseed Oil Content in Wood—H. Peemoeller, M.H. Schneider, A.R. Sharp, and D.W. Kydon, Aug., p. 67.

Q

Quick Weathering Test for Screening Silicone Sealants—K.K. Karpati, Mar., p. 29.

R

Resin Structure and the Corrosion Resistance of Organic Coatings: Epoxy-Alkanolamine Resins—J.W. Holubka and R.A. Dickie, July, p. 43.
Respirator Cartridge Evaluations for Paints Containing Isocyanates—J.F. Vasta, May, p. 81.
Rheological Models for Predicting Flow in High Solids Coatings—D.R. Bauer and L.M. Briggs, Sept., p. 87.

S

Sedimentation of Suspensions—Montreal Society for Coatings Technology, Feb., p. 41.
The Simple Mixture Screening Design in Coatings Research—K.K. Hesler, J.R. Lofstrom, and J.A. Greenwald, June, p. 53.
A Simple Model for the Numerical Simulation of Reflectance of Black Chrome Coating Systems—S.T. Wu and L.W. Masters, Apr., p. 29.
Study for Curing Mechanisms of a Thermosetting Resin by Dynamic Viscoelastic Measurement. Part I: An Empirical Equation on the Curing Process—T. Izumo and S. Yamamoto, Feb., p. 45.
Study of the Curing Mechanisms of Thermosetting Resins by Dynamic Viscoelastic Measurement. Part II: Effect of the Curing Behavior of a Low Molecular Weight Additive in an Acrylic-Melamine Resin System—T. Izumo and S. Yamamoto, Mar., p. 39.

T

Techniques to Measure Melamine/Polyol Reactions in a Film—M.G. Lazzara, Mar., p. 19.
Thermosetting Coatings—Analytical and Predictive Capability by Chemorheology—R.R. Eley, Nov., p. 49.
Toxicology, the Law, and the Coatings Chemist—H.E. Myers, Mar., p. 51.
Transformation of Liquid to Amorphous Solid: Effect of Reaction Mechanism on the Time to Vitrify for Linear and Network Polymerization—M.T. Aronhime and J.K. Gillham, Nov., p. 35.

U

Use of the Brookfield Viscometer to Predict Rheological Performance of Coatings—L. Cutrone, Jan., p. 59.
Utilization of Computers in the Coatings Industry—New York Society for Coatings Technology, Dec., p. 77.
UV Curing of Acrylate Coatings by Laser Beams—C. Decker, June, p. 29.

V

Viscometry: Myth and Reality—Los Angeles Society for Coatings Technology, Nov., p. 59.

W

Water-Borne Coatings Based on Epoxy Alkanolamine Resins—S.B.A. Qaderi, D.R. Bauer, J.W. Holubka, and R.A. Dickie, Dec., p. 71.

Z

Zinc Consumption in Zinc-Rich Primers Co-Pigmented with Di-Iron Phosphide—N.C. Fawcett, C.E. Stearns, and B.G. Bufkin, Feb., p. 31.

Author Index

A

ABDEL-BARY, M.F.—See El-Aasser, M.S.
ARAI, K.—See Shimbo, M.
ARONHIME, M.T. and GILLHAM, J.K.—The Transformation of Liquid to Amorphous Solid: Effect of Reaction Mechanism on the Time to Vitrify for Linear and Network Polymerization, Nov., p. 35.

B

BARRATT, K.V.—See Kachwalla, Z.
BAUER, D.R. and BRIGGS, L.M.—Rheological Models for Predicting Flow in High Solids Coatings, Sept., p. 87.
BAUER, D.R.—See Qaderi, S.B.A.
BRIGGS, L.M.—See Bauer, D.R.
BUFKIN, B.G.—See Fawcett, N.C.
BUFKIN, B.G.—See Gooch, J.W.

C

CHAO, M.K.—See Schultz, S.A.
CRANG, R.E. and ROBINSON, S.G.—Mildewcide Testing and Ultrastructural Analysis with *Aureobasidium pullulans*, May, p. 57.
CUTRONE, L.—High Solids Millbase Design for High Speed Dispersion, Sept., p. 105.
CUTRONE, L.—Use of the Brookfield Viscometer to Predict Rheological Performance of Coatings, Jan., p. 59.

D

DANIEL, F.K.—The Obstacle Course from Mill Base to Finished Coating, Jan., p. 38.
DECKER, C.—UV Curing of Acrylate Coatings by Laser Beams, June, p. 29.
DEL AMO, B., GIUDICE, C.A., and RASCIO, V.J.D.—Influence of Binder Dissolution Rate on the Bioactivity of Antifouling Paints, Dec., p. 63.
DE LANGE, P.G.—Film Formation and Rheology of Powder Coatings, Oct., p. 23.
DICKIE, R.A.—See Holubka, J.W.
DICKIE, R.A.—See Qaderi, S.B.A.

E

EL-AASSER, M.S., VANDERHOFF, J.W., HO, C.C., HUMAYUN, A., and ABDEL-BARY, M.F.—Kinetics and Mechanism of Film Growth for the Cathodic Electrodeposition Process from Epoxy Resin-Curing Agent Latexes, June, p. 37.
ELEY, R.R.—Thermosetting Coatings. Analytical and Predictive Capability by Chemorheology, Nov., p. 49.
ENGLISH, A.D. and SPINELLI, J.J.—Degradation Chemistry of Primary Crosslinks in High Solids Enamel Finishes: Solar Assisted Hydrolysis, Apr., p. 43.

F

FAWCETT, N.C., STEARNS, C.E., and BUFKIN, B.G.—Effect of Zinc Oxidation on the Conductivity and Performance of Di-Iron Phosphide Augmented Zinc-Rich Primers, July, p. 49.
FAWCETT, N.C., STEARNS, C.E., and BUFKIN, B.G.—Zinc Consumption in Zinc-Rich Primers Co-Pigmented with Di-Iron Phosphide, Feb., p. 31.
FLOYD, F.L.—See Groseclose, R.G.
FREY, C.M.—See Groseclose, R.G.
FRICK, D.A.—Determination of Pentachlorophenol Acrylate Purity by High Performance Liquid Chromatography, May, p. 89.

G

GABRIELE, P.D. and IANNUCCI, R.M.—Protection of Mildewcides and Fungicides from Ultraviolet Light Induced Photooxidation, May, p. 33.
GENSHAW, M.A., PHILLIPS, B.F., and RUGGIERO, K.A.—Computer Formulation of Colors for Letterpress, Aug., p. 75.
GILLHAM, J.K.—See Aronhime, M.T.
GIUDICE, C.A.—See del Amo, B.
GOLDSMID, H.J.—See Kachwalla, Z.
GOLL, M.—See Oppermann, R.A.
GOOCH, J.W., WILDMAN, G.C., and BUFKIN, B.G.—Autooxidative Crosslinking of Vegetable Oils and Alkyd Emulsions, Apr., p. 33.
GRANATA, R.D.—See Leidheiser, H. Jr.
GREENWALD, J.A.—See Hesler, K.K.
GROSECLOSE, R.G., FREY, C.M., and FLOYD, F.L.—Characterization of the Variability in Corrosion Resistance of Steel Using Electrochemical Techniques, July, p. 31.

H

HAAGEN, H.—Anticorrosive Function of Primers. Influence on Protection by Subsequent Coatings, Feb., p. 21.
HAKE, B.P.—See Schultz, S.A.
HEGEDUS, C.R.—Displacement of Water from a Steel Surface, Apr., p. 51.
HESLER, K.K., LOFSTROM, J.R., and GREENWALD, J.A.—The Simplex Mixture Screening Design in Coatings Research, June, p. 53.
HO, C.C.—See El-Aasser, M.S.
HOLUBKA, J.W. and DICKIE, R.A.—Resin Structure and the Corrosion Resistance of Organic Coatings: Epoxy-Alkanolamine Resins, July, p. 43.
HOLUBKA, J.W.—See Qaderi, S.B.A.
HUISMAN, H.F.—Pigment Volume Concentration and an Interpretation of the Oil Absorption of Pigments, May, p. 65.
HUMAYUN, A.—See El-Aasser, M.S.

I

IANNUCCI, R.M.—See Gabriele, P.D.
IZUMO, T. and YAMAMOTO, S.—Study of Curing Mechanisms of a Thermosetting Resin by Dynamic Viscoelastic Measurement. Part I: An Empirical Equation on the Curing Process, Feb., p. 45.
IZUMO, T. and YAMAMOTO, S.—Study of the Curing Mechanisms of Thermosetting Resins by Dynamic Viscoelastic Measurement. Part II: Effect of the Curing Behavior of a Low Molecular Weight Additive in an Acrylic-Melamine Resin System, Mar., p. 39.

K

KACHWALLA, Z., BARRATT, K.V., and GOLDSMID, H.J.—Measurement of Thermal Conductivity of Enamel Paint Using a CO_2 Laser, Jan., p. 65.
KANSAS CITY SOCIETY FOR COATINGS TECHNOLOGY—Performance Comparison of Exterior Flat Finishes on Hardboard Siding, Apr., p. 19.

KARPATI, K.K.—Investigation of Factors Influencing Outdoor Performance of Two-Part Polysulfide Sealants, Dec., p. 57.
KARPATI, K.K.—Quick Weathering Test for Screening Silicone Sealants, Mar., p. 29.
KENNEDY, R.—How Productive Is Your Paint Plant? A Measure of Productivity for the Paint Industry, Feb., p. 57.
KUZMA, E.J. and LEVINE, E.—Multifunctional Monomers in Water-Reducible Alkyds, Mar., p. 45.
KYDON, D.W.—See Peemoeller, H.

L

LAZZARA, M.G.—Techniques to Measure Melamine/Polyol Reactions in a Film, Mar., p. 19.
LEIDHEISER, H. JR., WANG, W., GRANATA, R.D., VEDAGE, H., and WHITE, M.L.—Environmental Control or Coatings Composition as a Means for Reducing Cathodic Delamination of Organic Coatings, Oct., p. 55.
LEVINE, E.—See Kuzma, E.J.
LOFSTROM, J.R.—See Hesler, K.K.
LOS ANGELES SOCIETY FOR COATINGS TECHNOLOGY—Viscometry: A Collaborative Study of Its Practice, Nov., p. 59.

M

MASTERS, L.W.—See Wu, S.T.
MONTREAL SOCIETY FOR COATINGS TECHNOLOGY—Sedimentation of Suspensions, Feb., p. 41.
MORRIS, W.J.—Comparison of Acrylated Oligomers in Wood Finishes, Aug., p. 49.
MYER, H.E.—Toxicology, the Law, and the Coatings Chemist, Mar., p. 51.

N

NAKAYAMA, Y., WATANABE, T., and TOYOMOTO, I.—High Performance Coatings from Blends of Emulsions and Water-Soluble Resins, Sept., p. 73.
NEW YORK SOCIETY FOR COATINGS TECHNOLOGY—Utilization of Computers in the Coatings Industry, Dec., p. 77.

O

OCHI, M.—See Shimbo, M.
OPPERMANN, R.A. and GOLL, M.—Presence and Effects of Anaerobic Bacteria in Water-Based Paint I., May, p. 51.

P

PEEMOELLER, H., SCHNEIDER, M.H., SHARP, A.R., and KYDON, D.W.—Pulsed Nuclear Magnetic Resonance Measurement of the Relative and Absolute Linseed Oil Content in Wood, Aug., p. 67.
PERERA, D.Y.—Internal Stress in Latex Coatings, Sept., p. 111.
PERERA, D.Y. and VANDEN EYNDE, D.—Effect of Organic Solvents on Internal Stress in Latex Coatings, Nov., p. 69.
PERERA, D.Y. and VANDEN EYNDE, D.—Effect of Pigmentation on Internal Stress in Latex Coatings, Oct., p. 47.
PHILLIPS, B.F.—See Genshaw, M.A.

Q

QADERI, S.B.A., BAUER, D.R., HOLUBKA, J.W., and DICKIE, R.A.—Water-Borne Coatings Based on Epoxy-Alkanolamine Resins, Dec., p. 71.

R

RAASCHOU NIELSEN, H.K.—Forensic Analysis of Coatings, Nov., p. 21.
RASCIO, V.J.D.—See del Amo, B.
RECHIN, C.L.—Lawyer Vis-A-Vis Chemist in Paint Product Liability Situations, Apr., p. 57.
RITTER, J.J.—Ellipsometric Studies of Chelating Inhibitor Effects on the Cathodic Delamination of an Organic Coating on Iron, July, p. 55.
ROBINSON, S.G.—See Crang, R.E.
RUGGIERO, K.A.—See Genshaw, M.A.

S

SATO, K.—Physical Significance of the Pendulum Hardness of Coating Films, Jan., p. 47.
SCHNEIDER, M.H.—See Peemoeller, H.
SCHULTZ, S.A., CHAO, M.K., and HAKE, B.P.—Numerical Color Control for Exterior Automotive Coatings, Feb., p. 35.
SHARP, A.R.—See Peemoeller, H.
SHIMBO, M., OCHI, M., and ARAI, K.—Internal Stress of Cured Epoxide Resin Coatings Having Different Network Chains, June, p. 45.
SIMPSON, L.A.—An Attempt to Develop a One Coat Emulsion Paint, Aug., p. 57.
SPINELLI, J.J.—See English, A.D.
STEARNS, C.E.—See Fawcett, N.C.

T

TORONTO SOCIETY FOR COATINGS TECHNOLOGY—Influence of Co-Solvents on the Film Properties of Water-Soluble Alkyds, June, p. 69.
TOYOMOTO, I.—See Nakayama, Y.

U

USMANI, A.M.—Application of Infrared Spectroscopy in Curing Kinetics of Polyurethane Coatings, Sept., p. 99.

V

VANDEN EYNDE, D.—See Perera, D.Y.
VANDERHOFF, J.W.—See El-Aasser, M.S.
VASTA, J.F.—Respirator Cartridge Evaluations for Paints Containing Isocyanates, May, p. 81.
VEDAGE, H.—See Leidheiser, H. Jr.

W

WANG, W.—See Leidheiser, H. Jr.
WATANABE, T.—See Nakayama, Y.
WHITE, M.L.—See Leidheiser, H. Jr.
WILDMAN, G.C.—See Gooch, J.W.
WRAY, H.A.—Flammability of Chlorinated Hydrocarbons and Hydrocarbon Admixtures, Oct., p. 37.
WU, S.T. and MASTERS, L.W.—A Simple Model for the Numerical Simulation of Reflectance of Black Chrome Coating Systems, Apr., p. 29.

Y

YAMAMOTO, S.—See Izumo, T.

Constituent Society Papers

KANSAS CITY—Performance Comparison of Exterior Flat Finishes on Hardboard Siding, Apr., p. 19.
LOS ANGELES—Viscometry: A Collaborative Study of Its Practice, Nov., p. 59.
MONTREAL—Sedimentation of Suspensions, Feb., p. 41.
NEW YORK—Utilization of Computers in the Coatings Industry, Dec., p. 77.
TORONTO—Influence of Co-Solvents on the Film Properties of Water-Soluble Alkyds, June, p. 69.